

KEYS & KEY KEEPERS



Questions? Answers at...

Western US: 1-866 CED-ELEV
or 1-866-233-3538 • Fax 1-562-427-8429

Eastern US: 1-866-253-2915
or 1-860-256-2211 • Fax 1-860-290-8970


or visit us online at
www.cedelevator.com
for 24 hour order entry,
cross reference data base,
product specifications
with pictures and much more!

Full line catalog available on request


In this Section

Door Keys	14.2
Door Key Keepers.....	14.2
Fire Key Boxes.....	14.3
Replacement Locks.....	14.3
Replacement Key Boxes.....	14.3
Replacement Keys	14.3


* Key Switches & Keys available,
See Section 1 (Adams)




KP-set of all 9 keys



O3N2



DKK



DKK



DKK-KT

Door Keys & Door Key Keepers

Door Keys

All aluminum and steel construction

Key	Part Number	Description
A	O2N	Otis 2 section 5.76" Replacement for Otis #194AD3
B	O3N	Otis 3 section 5.76" Replacement for Otis #194AD7
C	O2N2	Otis 2 section 7.12" Replacement for Otis #194AD4
D	GML	G.A.L. Type M lock
E	OL6	Otis L lock
F	OL10	Otis Lunar 10 1/2" Replacement for Otis # 194D2
G	WT9	Westinghouse "T" 9" L
H	WL6	Westinghouse Lunar 6" L
I	GDK	Replacement for G.A.L. #KMO
	KP	Set of all 9 of the above keys
	O3N2	Otis 3-section key

Door Key Keepers

Part Number **DKK**:

This sturdy 16-gauge welded steel keeper has one common key, eliminating multiple key confusion and deterring theft. Cadmium-plated to prevent rust, its continuous piano hinge is designed so that the pin cannot be removed. We provide registered keying, preventing unauthorized entry. Additional keys are available upon request.

Part Number **DKK-KT**:

This door key keeper mounts around a door handle. The key is housed in a 2 3/4"l x 1 1/4"w x 1 1/8"h 16-gauge steel box. We provide registered keying, preventing unauthorized entry. Additional keys are available upon request.

Part Number **K01KK**: Replacement Key

Questions? Answers at...

Fire Key Boxes & Replacement Parts

Fire Key Boxes

Red surface mounted and recess flush mount fire key boxes meet local code requirements. Covers are available in brushed stainless and bronze finishes. Equipped with mounting hooks for service and elevator keys. Rust proofed for outside use. Please specify lock number used in your area.

Dimensions: 9" h x 5 $\frac{3}{8}$ " w x 1 $\frac{3}{8}$ " d**
Flush model has a 1" frame.

Stainless Surface Mirror		Stainless Flush Mirror	
FKBC/SM		FKBCF/SM	

Bronze Surface	Bronze Flush	Stainless Surface	Stainless Flush
FKB10404B*	FKB10404BF*	FKB10404*	FKB10404F*
FKB52219B*	FKB52219BF*	FKB52219*	FKB52219F*
FKBCB*	FKBCBF*	FKBC*	FKBCF*

*Key included

**Now available with a 2" deep box.
Add -2 to part number (i.e. FKBC-2).



Replacement Locks

Lock Part Number	For Box Number
L02KB404	FKB10404
L02KB219	FKB52219
L02KB004	FKBC
AKC0071S	Service Cabinet Lock Assembly, Stainless Steel

Replacement Key Boxes

Key Box Part Number	For Box Number
15KB001	FKBC
15KB004	All others

Replacement Keys

Key Part Number	Description
K01KB002	(25460 key)
K01KB001	(52219 key)
AKC0052A	Key for Cabinet Lock Keyed AE102
AKC0054A	Key for Cabinet Lock Keyed WD01
AKC0051	Key for Cabinet Lock Keyed MM101
AKC0053	Key for Cabinet Lock Keyed GG101
AKC0056	Key for Cabinet Lock Keyed H341

Other keys for Fire Department use only are available upon request.



Questions? Answers at...

Western US: 866 CED-ELEV Eastern US: 866-253-2915
or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970

