

ELECTRICAL & INDUSTRIAL PRODUCTS



Questions? Answers at...

Western US: 1-866 CED-ELEV
or 1-866-233-3538 • Fax 1-562-427-8429

Eastern US: 1-866-253-2915
or 1-860-256-2211 • Fax 1-860-290-8970

or visit us online at
www.cedelelevator.com


*for 24 hour order entry,
cross reference data base,
product specifications
with pictures and much more!*

Full line catalog available on request


5

In this Section

Outdoor Extension Cords.....	5.2
Bulbs, Lights & Lamp Guards.....	5.2
Specialty & Flash Lights	5.2
GFCI, In-line.....	5.3
GFCI Trouble Light.....	5.3
GFCI Cord, 6ft.....	5.3
GFCI Protected Quad Box	5.3
Pendant Station	5.3
Limit Switches & Sensors	5.4
Pit Switches, Outlets & Work Lights	5.5
Auxiliary Convenience Boxes.....	5.5
EMT Tubing, Fittings & Accessories	5.6
EMT Connectors & Couplings	5.7
EMT Access Fittings.....	5.8
Flexible Metal Fittings.....	5.9
EMT-to-Flex Couplings	5.9
Liquid Tight Fittings.....	5.9
Boxes, Covers & Plugs	5.10-11
Mechanical & Compression Lugs ..	5.12
Split-bolt Connectors	5.12
Tabs, Forks and Rings.....	5.12
Insulated Butt Splices.....	5.13
ScotchLok® Components.....	5.13
Wire Nuts.....	5.13
Ty-Raps.....	5.13
Wire Marker Cards & Dispensers...	5.13
Channel & Components.....	5.14
Screws & Fasteners.....	5.14
Cush Clamps.....	5.14
Floor Protection:	
Clean Mat, BuilderBoard™, Carpet Mask, Floor Shield and Applicators	5.15-16
Tapes: Friction, Rubber, Electrical, All-Weather	5.16



PIV1001



DROP LIGHT WITH CAGE



2250S



2100A



Extension Cords

Bulbs, Lights, Lamp Guards

Outdoor Extension Cords, 50 & 100ft

These cords are made with double insulated, 12-gauge copper wire. They are provided with solid molded three-outlet plugs, which allow additional users without having to run additional cords. They resist deterioration from moisture and abrasion. They are UL listed and meet OSHA specifications.

Part Number	Length	Part Number	Length
11-521	50 ft.	11-522	100 ft.

Other sizes and configurations available. Please call for more details.

Bulbs

Part Number	Mfr.	Description	Standard Packaging*
100ARS	GE	100-watt rough service bulbs	60
75ASL	GE	75-watt safety coated bulbs	24

Lights

Part Number	Mfr.	Description	Standard Packaging*
282	PS	Porcelain fixture with pull chain	1

Drop lights – various available, call for details

Guards & Cages

Part Number	Mfr.	Description	Standard Packaging*
2100A	McGill	Metal cage	1
2250	McGill	Plastic cage	1
2250S	McGill	Plastic cage with steel screw	1

Flashlights

A variety of sizes available, call for details.

Questions? Answers at...

GFCI Devices & Pendant Stations

In-line GFCI

Great for use in wet areas and construction site applications, this In-Line Cord is available in either 120V/15A, 14/3 AWG or 240V/20A, 12/3 AWG. Extension cord length varies from 1', 6', 25', and 50'. If there's a trip or power outage, manual reset is required, thus preventing unmonitored equipment start up.

GFCI Trouble Light

Perfect for industrial uses where light and electrical safety are necessary. Protected by an all metal housing and includes one extra NEMA 5-15 convenience receptacle at the light end. A 25' extension cord is attached.

GFCI Cord, 6ft.


Everyone who uses an electric tool needs to ensure his own electrical protection! This 6 foot outdoor cord has a 15 amp. GFCI built into the male plug, with a test/reset button included. The other end has a molded-on POWERLITE power indicator plug that illuminates to show that the power is on. Meets or exceeds UL, OSHA or NEMA specifications.

GFCI Protected Quad Box

This 20 amp quad box is built to protect both pairs of receptacles. Its special features include T-slotted receptacles to allow both 15 and 20 ampere rated tools, with either NEMA 5-15 or NEMA 5-20 plugs. The second feature includes a "fast breaker" which is built into the heavy resistant box. This is great for fast reset should a power overload occur. Available in both 25' and 50' lengths.

Pendant Station, 10ft. Cable

This water resistant pendant station comes with an up, down, common, and emergency stop button, as well as a key switch. The pendant comes prewired with a 10-ft. length of 18-gauge 8 conductor wire. Additional lengths are available upon request. Cut-to-length cable available in 18/6, 18/7 and 18/10. Part Number **12-131**




Tri-Tap GFCI Cords & GFCI Receptacle Adapters

Part Number	Description
TOW30334304	25ft. Tri-tap GFCI Cord
TOW30334305	50ft. Tri-tap GFCI Cord
TOW30339005	GFCI Receptacle Adapter
TOW30338018	2ft. GFCI Cord
TOW30338022	6ft. GFCI Cord






WLSE-NC



LS1




LS1-L

DW19/
DW19-D

Microswitch Switches & Sensors

Part Number	Description
BA2RV22	Short Roller Lever Snap Switch
BZ2RA	Pin Plunger Snap Switch
BZ2RW80A2	Bushing Mnt Plunger Snap Switch
BZ2RW8255A2S	Long Roller Lever Snap Switch
BZE62RN7S	Plunger Type Limit Switch w/Boot
BZE62RQ & BZE62RQ125	Roller Lever Limit Switches
BZE62RQ62	Low Force Rod Lever Limit Switch
5PA2	Snap Switch Terminal Cover
MC7711	Bushing Mount Plunger Assembly
103SR12A2 & 103SR12A7	Cylindrical Hall Effect Sensors
121XK212	Ferrous Metals Sensitive Prox



Limit Switches & Sensors

WLSE-NC

- Westinghouse Type E. Direct replacement for manufacturers switch. One normally closed contact.

LS1, LS1-L

- Direct replacement for C.J. Anderson, Maxton, and Virginia controls limit switches.
- Rubber roller for dependable operation
- Contacts self-wiping, maintenance-free, copper to carbon. See-through cover.
- One set normally open, one set normally closed.

EECO LS1B Limit Switches

DW19

- Specifically for use in the elevator hatchway as zoning, normal, and final limits
- One set normally open, one set normally closed.

DW19-D

- Double contact switch

Omron Limit Switches

Heavy-duty positive opening contacts. Contacts side rotary mechanical life 30 million operations.

CD4B-3111N


- Single Pole, 1N.O., 1N.C.
- Nylon roller lever, (.69" Dia.).

CD4B-3113N

- Single Pole, 1N.O., 1N.C.
- Adjustable roller lever, rubber, (1.97" Dia.).

CD4B-3A13N

- Double Pole, 2 N.C.
- Adjustable roller lever, rubber, (1.97" Dia.).



Questions? Answers at...

Pit Switches, Outlets, Lights & Convenience Boxes

Pit Switches

All Models are designed to meet ANSI A17.1 Rules 106.1f and 210.2e/2g Elevator Safety Code Requirements. Red run/stop control switch conforms to Rule 210.2e(4).

PS2

- Steel guard prevents damage or accidental switching
- Switch rated 20 amps at 250 VAC
- Lockable

PS3

- Run/stop in 1/2" permanent raised letters
- Cast aluminum cover
- CSA approved (CSA B44, B44.1/ASME, A17.1, A17.5)

PS2-DC

- Heavy Duty rocker switch
- Switch rated 1.5 amps at 120 VDC

PS4

- Push To Stop/Pull To Run
- One normally closed contact
- Maintained in both positions



PS2



PS3



PS2-DC



PS4

Pit Switches/Outlets

PS2-DO

- With duplex outlet
- Padlockable

PS2-GFI

- With Ground Fault Circuit Interrupter
- Padlockable



PS2-DO



PS2-GFI


Pit Work Lights

PWL

- Pit work light for pit or under car
- Light socket
- Light switch
- 4" x 4" x 2 1/2" box
- 120V outlet

PWLG

- With Ground Fault Circuit Interrupter
- 4 3/4" x 4 3/4" x 2 1/2" box



PWLG



PWL


Auxiliary Convenience Boxes

ACB


Under cab work light, designed with two 3-prong electric cord outlets, light switch, and ceramic incandescent light bulb socket. Pre-drilled mounting brackets ensure easy installation.

ACBG

Ground Fault Circuit Interrupter provided in place of 3-prong outlets. (Shown with optional metal lamp guard and rough service lamp)







ACB



ACBG

Questions? Answers at...

Western US: 866 CED-ELEV Eastern US: 866-253-2915
or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970



EMT

Tubing, Fittings & Accessories

EMT Tubing

Part Number	Diameter inches	Standard Packaging*	Part Number	Diameter inches	Standard Packaging*
Per description	1/2	10	Per description		
"	3/4	10	"	1/2	25
"	1	10	"	3/4	25
"	1 1/4	10	"	1 1/4	20
"	1 1/2	10	"	1 1/2	10
"	2	10	"	2	10
"	2 1/2	10	"	2 1/2	1

90° EMT Elbows (lt. wt., thin wall, UL listed)

One-hole EMT Straps

Part Number	Diameter inches	Standard Packaging*	Part Number	Diameter inches	Standard Packaging*
MED30	1/2	100	0B	1/2	100
MED45	3/4	100	1B	3/4	100
MED55	1	50	2B	1	100
MED65	1 1/4	50	2 1/2 B	1 1/4	100
MED75	1 1/2	25	3B	1 1/2	100
MED85	2	20	5B	2	50

EMT Hangers with bolts (UL listed)

Larger sizes available if needed.

Die-cast Chase Nipples (UL listed, CSA certified)

Part Number	Diameter inches	Standard Packaging*	Part Number	Diameter inches	Standard Packaging*
1102DC	1/2	100	101S	1/2	100
1103DC	3/4	100	102S	3/4	100
1104DC	1	50	103S	1	100
1105DC	1 1/4	25	104S	1 1/4	50
1106DC	1 1/2	25	105S	1 1/2	50
1107DC	2	15	106S	2	25
1108DC	2 1/2	5	107S	2 1/2	10
1109DC	3	5	108S	3	10

Steel Lock Nuts (UL listed, CSA certified)

Larger sizes available if needed.

Threaded Plastic Insulated Bushings (UL listed, CSA certified)

Part Number	Diameter inches	Standard Packaging*
321	1/2	100
322	3/4	100
323	1	50
324	1 1/4	25
325	1 1/2	25
326	2	10
327	2 1/2	10
328	3	10

Larger sizes available if needed.

*All items may be purchased individually.

Questions? Answers at...

EMT Connectors & Couplings

EMT Compression Connectors: Die-cast & Steel

Part Number	Diameter inches	Standard Packaging*	Part Number	Diameter inches	Standard Packaging*
250-DC2	1/2	50	250	1/2	50
251-DC2	3/4	25	251	3/4	25
252-DC2	1	15	252	1	25
253-DC2	1 1/4	10	253	1 1/4	10
254-DC2	1 1/2	10	254	1 1/2	10
255-DC2	2	10	255	2	10
256-DC2	2 1/2	12	256	2 1/2	2
257-DC2	3	12	257	3	2

EMT Set Screw Connectors: Die-cast & Steel

Part Number	Diameter inches	Standard Packaging*	Part Number	Diameter inches	Standard Packaging*
230-DC2	1/2	100	230	1/2	50
231-DC2	3/4	50	231	3/4	25
232-DC2	1	10	232	1	20
233-DC2	1 1/4	10	233	1 1/4	10
234-DC2	1 1/2	10	234	1 1/2	10
235-DC2	2	5	235	2	5
236-DC2	2 1/2	12	236	2 1/2	2
237-DC2	3	12	237	3	2

EMT Compression Couplings: Die-cast & Steel


Part Number	Diameter inches	Standard Packaging*	Part Number	Diameter inches	Standard Packaging*
260-DC	1/2	50	260	1/2	50
261-DC	3/4	25	261	3/4	25
262-DC	1	10	262	1	25
263-DC	1 1/4	10	263	1 1/4	10
264-DC	1 1/2	10	264	1 1/2	10
265-DC	2	5	265	2	5
266-DC	2 1/2	12	266	2 1/2	2
267-DC	3	12	267	3	2

EMT Set Screw Connectors: Die-cast & Steel

Part Number	Diameter inches	Standard Packaging*	Part Number	Diameter inches	Standard Packaging*
240-DC	1/2	50	240	1/2	50
241-DC	3/4	25	241	3/4	25
242-DC	1	25	242	1	20
243-DC	1 1/4	10	243	1 1/4	150
244-DC	1 1/2	10	244	1 1/2	10
245-DC	2	10	245	2	5
246-DC	2 1/2	12	246	2 1/2	2
247-DC	3	12	247	3	2


*All items may be purchased individually.

EMT DIE CAST
COMPRESSION
CONNECTOR




EMT STEEL
COMPRESSION
CONNECTOR

EMT DIE CAST
SET SCREW
CONNECTOR




EMT STEEL
SET SCREW
CONNECTOR

EMT DIE CAST
COMPRESSION
COUPLING



EMT STEEL
COMPRESSION
COUPLING



EMT DIE CAST
SET SCREW
COUPLING



EMT STEEL
SET SCREW
COUPLING

Questions? Answers at...

Western US: 866 CED-ELEV Eastern US: 866-253-2915
or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970



EMT Access Fittings

Type LB Threaded (with cover and gasket)

Part Number	Size inches	Standard Packaging*
LB50CG	1/2	10
LB75CG	3/4	10
LB100CG	1	5
LB125CG	1 1/4	2
LB150CG	1 1/2	2
LB200CG	2	1

Type LR Threaded (with cover and gasket)

Part Number	Size inches	Standard Packaging*
LR50CG	1/2	10
LR75CG	3/4	10
LR100CG	1	5
LR125CG	1 1/4	2
LR150CG	1 1/2	2
LR200CG	2	1

Type LL Threaded (with cover and gasket)

Part Number	Size inches	Standard Packaging*
LL50CG	1/2	10
LL75CG	3/4	10
LL100CG	1	5
LL125CG	1 1/4	2
LL150CG	1 1/2	2
LL200CG	2	1

Covers for Type LB, LR and LL Access Fittings

Part Number	Fits Size inches	Standard Packaging*
K50A	1/2	50
K75A	3/4	50
K100A	1	50
K125A/150A	1 1/4 to 1 1/2	25
K200A	2	25


*All items may be purchased individually.

Questions? Answers at...

Flexible Metal Fittings & EMT-to-Flex Couplings

Flexible Steel/Aluminum Conduit (UL listed)


Part Number	Diameters inches	Standard Packaging*
Per desc.	3/8	100' reel
"	1/2	100' reel
"	3/4	100' reel
"	1	50' coil
"	1 1/4	50' coil
"	1 1/2	25' coil
"	2	25' coil



FLEXIBLE STEEL & ALUMINUM CONDUIT

Straight Squeeze-Malleable Iron Flex Box Connectors (UL listed)


Part Number	Diameters inches	Standard Packaging*
7481V	1/2	25
7482V	3/4	25
7483	1	10
7484	1 1/4	10
7485	1 1/2	5
7486	2	4



STEEL STRAIGHT BOX CONNECTOR

90° Squeeze-Zinc Die Cast Flex Box Connectors (UL listed and CSA certified)

Part Number	Diameters inches	Standard Packaging*
804DC2	1/2	25
806DC2	3/4	10
807DC2	1	25
808DC2	1 1/4	25
809DC2	1 1/2	5
810DC2	2	5



STEEL 90° BOX CONNECTOR

Compression/Screw-on

Part Number	Diameters inches	Standard Packaging*
581DC	1/2 EMT to 1/2 FLEX	50
582DC	3/4 EMT to 3/4 FLEX	25
583DC	1 EMT to 1 FLEX	20

*All items may be purchased individually.

Liquid Tight Connectors

Dimensions	Straight	45°	90°
1/2"	ST50	ST4550	ST9050
3/4"	ST75	ST4575	ST9075
1"	ST100	ST45100	ST90100
1 1/4"	ST125	ST45125	ST90125
1 1/2"	ST150	ST45150	ST90150
2"	ST200	ST45200	ST90200
2 1/2"	ST250	ST45250	ST90250
3"	ST300	ST45300	ST90300








EMT-TO-FLEX DIE-CAST SET SCREW COUPLING



LIQUID TIGHT CONNECTORS IN STRAIGHT, 45° AND 90°

Questions? Answers at...

Western US: 866 CED-ELEV Eastern US: 866-253-2915
or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970



Boxes & Covers

4" x 4" Square Boxes:

1½" deep (type 52151)

Part Number	Knockouts inches	Standard Packaging*
4SB50/75	½ & ¾	50

2⅞" deep (type 52171) [UL listed]

Part Number	Knockouts inches	Standard Packaging*
4SDB50/75	½ & ¾	50

4" x 2⅞" Utility Boxes:

1⅞" deep (type 58361)

Part Number	Knockouts inches	Standard Packaging*
HB150	½	50

2⅞" deep (type 58371) [UL listed]

Part Number	Knockouts inches	Standard Packaging*
HDB150	½	50
HDB150MKO	¾	50

4⅞" Square Boxes: 2⅞" deep (type 72171) [UL listed]

Part Number	Knockouts inches	Standard Packaging*
5SDB50/75	½ & ¾	24
5SDB75/100	¾ & 1	24

4" Octagonal Boxes:

1½" deep (type 54151)

Part Number	Knockouts inches	Standard Packaging*
4RB50	½	50

Box Covers/Flat Blank [UL listed and CSA certified]

Part Number	Knockouts inches	Standard Packaging*
4BC	4 x 4	50
HBCB	4 x 2⅞	50
5BC	4⅞ x 4⅞	50
4RBC	4" round	50

Covers with various device applications also available.

*All items may be purchased individually.

Questions? Answers at...

5.10

Western US: 866 CED-ELEV Eastern US: 866-253-2915
 or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970

Boxes & Covers

Screw-Cover Pull Boxes (with cover and knockouts) (UL listed)

Part Number	Size inches	Depth inches	Standard Packaging
444SC	4 x 4	4	1
664SC	6 x 6	4	1
6124SC	6 x 12	4	1
884SC	8 x 8	4	1
10104SC	10 x 10	4	1
12124SC	12 x 12	4	1
18184SC	18 x 18	4	1
2464SC	24 x 6	4	1
24244SC	24 x 24	4	1
886SC	8 x 8	6	1

Junction Boxes (with knockouts and terminals)

Part Number	Size inches	Depth & Capacity inches • wire count	Standard Packaging
JBX40	14 x 8½	3¼ • 40 wires	1
JBX80	24 x 8½	3¼ • 80 wires	1
JBX108	36 x 8½	3¼ • 108 wires	1


Junction Box Components

Part Number	Description	Standard Packaging*
0924	Terminal block	100
67	Zinc-plated track	3' lengths


Metal Knockout Plugs

Part Number	Size inches	Standard Packaging*
S50	½	100
S75	¾	100
S100	1	50
S125	1¼	50
S150	1½	50
S200	2	25


*All items may be purchased individually.



SCREW-COVER PULL BOX




JUNCTION BOX WITH TERMINALS




METAL KNOCKOUT PLUG

Questions? Answers at...


Western US: 866 CED-ELEV Eastern US: 866-253-2915
or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970




ILSCO MECHANICAL LUGS




COMPRESSION LUG



SPLIT-BOLT CONNECTOR



RING



FORK

Miscellaneous Hardware

Mechanical Lugs

Part Number	Size	Standard Packaging*
DE704	#14-6awg	100
DE705	#8-2awg	100
DE706	#2-1/0	25
DE713	#4-3/0	25
DE707	#2-4/0	10

The above mechanical lugs and split bolt connectors referenced are for the most common cable sizes used. Many more sizes are used and are available from our stock. Please ask your sales representative for details.

Compression Lugs

Part Number	Wire Size	Hole Size	Standard Packaging*
GL2038	2/0awg	3/8"	10
GL114	1awg	1/4"	20
GL214	2awg	1/4"	25
GL438	4awg	3/8"	50
GL614	6awg	1/4"	50
GL638	6awg	3/8"	50
GL814	8awg	1/4"	50

Split-bolt Connectors

Part Number	Size	Standard Packaging*
N2	T&2-6 STR	100
N3	4 STR	100
N4	4-8 STR	100
N6	6-8 STR	100
N8	16-8 STR	100

Tabs, Forks & Rings

Part Number	Size	Type	Standard Packaging
MNG1810R/LX	22-18awg	10 ring	100
MNG1810FBX	22-18awg	10 fork	100
MNG1410RX	16-14awg	10 ring	100
MNG1410FBX	16-14awg	10 fork	100
MNG1410FLX	16-14awg	10 lock fork	100
MNG1010RX	12-10awg	10 ring	50
MNG1010FXB	12-10awg	10 fork	50

Many different sizes of rings and forks are stocked. To order, insert desired size into the above part numbers where the 10" appears after the dash. (i.e.: for a 16-14awg 8 ring, you would order part number RB14-8.)

*All items may be purchased individually.

Questions? Answers at...

Miscellaneous Hardware

Insulated Butt Splices (UL listed, CSA Certified)

Part Number	Size	Standard Packaging
MN18BCX	22-18awg	100
MN14BCX	16-14awg	100
MN10BCX	12-10awg	50

ScotchLok® Components (UL listed, CSA Certified)

Part Number	Size	Standard Packaging
557 (red)	22-16awg	100
558 (red)	22-16awg	100
560 (blue)	18-14awg	100
562 (yellow)	12-10awg	100

Wire Nuts (UL listed, CSA Certified)

Part Number	Size	Color	Standard Packaging
30071	22-16awg	gray	100
30072	22-14awg	blue	100
30073	22-14awg	orange	100
30074	18-10awg	yellow	100
30076	18-10awg	red	100

Wing nuts also available.

Ty-Raps (UL listed)


Part Number	Length inches	Standard Packaging
CT4NT18C	3.62	100
CT6NT40C	5.50	100
CT8NT50C	7.31	100
CT11NT50C	11.08	100
CT15NT120C	13.38	50
CT36NT175L	30.00	50

For weatherproof add "X" to end of part number.


Wire Marker Cards & Dispensers

Part Number	Description
WMB1	Wire marker book # 0-9
WMB15	Wire marker book # 46-90
WMB2	Wire marker book A-Z
WMB3	Wire marker book 1-45


Number dispenser refills available.



INSULATED BUTT SPLICE




SCOTCHLOK PIGTAIL



WIRE NUTS





TY-RAP



WIRE MARKER BOOKS

Questions? Answers at...

Western US: 866 CED-ELEV Eastern US: 866-253-2915
or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970



Channel & Components Screws, Fasteners, Cush Clamps

Channel & Components (UL listed)


Part Number	Size	Type	Standard Packaging*
W500H	1 1/2" x 3/4" x 10'	B907 14-gauge channel/holes one side	600'
W200H	1 1/2" x 1 1/2" x 10'	B905 12-gauge channel/holes one side	600'
W24EG	1/4"	B910 spring nut for all channel	100
W26EG	3/8"	B910 spring nut for all channel	100
W28EG	1/2"	B910 spring nut for all channel	100
W6026AEG	1/2"	C106 EMT strap for 1 1/2" and 3/4" channel	100
W6028AEG	3/4"	C106 EMT strap for 1 1/2" and 3/4" channel	100
W6030AEG	1"	C106 EMT strap for 1 1/2" and 3/4" channel	100
W6032AEG	1 1/4"	C106 EMT strap for 1 1/2" and 3/4" channel	100
W6034AEG	1 1/2"	C106 EMT strap for 1 1/2" and 3/4" channel	100
W6038AEG	2"	C106 EMT strap for 1 1/2" and 3/4" channel	50

Channel also available with holes, plain, green and galvanized.

Screws, Fasteners & Accessories

Part Number	Size	Type	Standard Packaging*
W7124EG	3/8" x 10'	Threaded rod	25
RC2-1/2	1/2"	Threaded couplings	100
RC2-3/8	3/8"	Threaded couplings	100
RC2-5/8	5/8"	Threaded couplings	100
DA38	3/8"	Lead anchors	100
FW38	3/8"	Flat washers	100
LW38	3/8"	Lock washers	100
HN38	3/8"	Hex nuts	100
RMC1434	1/4" x 3/4"	Round-head nuts and screws	100
RMC141	1/4" x 1"	Round-head nuts and screws	100
RMC14114	1/4" x 1 1/4"	Round-head nuts and screws	100
RMC14112	1/4" x 1 1/2"	Round-head nuts and screws	100
RMC142	1/4" x 2"	Round-head nuts and screws	100
ZA150	1/4" x 1"	Nail-ins	100
DA14	1/4"	Lead anchors	100
FW14	1/4"	Flat washers	100
LW14	1/4"	Lock washers	100
HN14	1/4"	Hex nuts	100
TB44	1/4" x 3"	Toggle bolts	100
MB141	1/4" x 1"	Hex-head bolt	100

*All items may be purchased individually. Other sizes available for all hardware.



Cush Clamps

Part Number	Nominal Pipe Size	O.D. Size
200050	1/2"	.840
200075	3/4"	1.050
200100	1"	1.315
200125	1 1/4"	1.660
200150	1 1/2"	1.900
200200	2"	2.375
200250	2 1/2"	2.875
200300	3"	3.500
200350	3 1/2"	4.000
200400	4"	4.500

Questions? Answers at...

Floor Protection

Clean Mat

Clean Mat provides a unique, easy to use, cost-effective solution for capturing dirt before it is tracked in. Comprised of 30 layers of adhesive-coated film that effectively removes dirt from shoes. When the exposed layer is completely used, simply peel it off to expose a clean layer.

Part Number	Description
CM2436W4	24"x 36"—4 pads

BuilderBoard™

- Tough 20-mil. heavy duty construction board for temporary protection
- Anti-slip surface
- Re-usable and fire-retardant
- Easy tout, fit and remove
- Protects steel, concrete, wood, marble, carpet, linoleum, tile and bulkheads

Part Number	Description
BLD38100	38" x 100'


Carpet Mask

- Roll it on, stays in place
- Easy to use and to move
- Clear, tough, 2-mil. non-skid surface
- Temporary protection, up to 30 days
- Great for hallways and stairs
- Use on all types of synthetic carpets
- Tear and puncture resistant


Part Number	Description	Part Number	Description
CS24200L	24" x 200'	CS36250	36"x250'
CS24500	24" x 500'	CS365000	36"x500'
CS24000	24" x 1000'	CS361000	36"x1000'
CS30200	30" x 200'	CS48500	48"x500'
		CS481000	48"x1000'



CLEAN STEP



60 LAYERS OF PROTECTION!



DURA MASK



CARPET MASK

Questions? Answers at...


Western US: 866 CED-ELEV Eastern US: 866-253-2915
or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970



FLOOR SHIELD



APPLICATOR



51-2

Floor Protection & Tapes

Floor Shield

- Specially formulated self-adhesive poly runner
- Durable protection
- Resistant to tearing and scuffing
- Ideal for countertops
- Protects hard surfaces such as linoleum, ceramic tile, cultured marble, etc.
- Temporary protection, up to 30 days

Part Number	Description	Part Number	Description
FS2450C	24" x 50'	FS36250	36"x250'
FS24200L	24" x 200'	FS36500	36"x500'
FS24500	24" x 500'		

Applicators

- Fast and easy for large areas of carpet
- Durable, heavy duty construction
- Saves time and labor
- Fits 200' and 1000' rolls in both widths

Part Number/Applicator Size

A21/21"; A2436/24", 30", 36"; A3660

Tapes: Friction, Rubber & Electrical

[UL listed, CSA Certified]

Part Number	Size	Type	Standard Packaging
1755	3/4" x 60'	Friction	1
2150	3/4" x 22'	Rubber	1
1700	3/4" x 60'	Electrical	10
33 (black)	3/4" x 66'	Electrical	10
35*	3/4" x 66'	Electrical	10

*Specify color

All-Weather 20-Mil Tape

Part Number	Description
51-2	20-mil Black Pressure Sensitive (2"x100')
51-4	20-mil Black Pressure Sensitive (4"x100')

Questions? Answers at...