

GENERAL PURPOSE



Questions? Answers at...

Western US: 1-866 CED-ELEV
or 1-866-233-3538 • Fax 1-562-427-8429




Eastern US: 1-866-253-2915
or 1-860-256-2211 • Fax 1-860-290-8970

or visit us online at
www.cedelevator.com
for 24 hour order entry,
cross reference data base,
product specifications
with pictures and much more!

Full line catalog available on request

In this Section

| | |
|---|------|
| Orange Sticks | 10.2 |
| Pit Pads | 10.2 |
| Quick-Sorb® Oil Clean-up | 10.2 |
| Polypropylene Rope | 10.2 |
| Aluminum Wall Panel Splines .. | 10.2 |
| Door Astragal and Holder | 10.2 |
| Door Spirator & Mounting Bracket. | 10.3 |
| Door Gibs. | 10.3 |
| Custom Pit Ladder Worksheet .. | 10.4 |
| Pit Ladders. | 10.5 |
| Custom Pit Ladders | 10.5 |
| Stepladders | 10.5 |
| Material Hooks | 10.6 |
| Door Pull Straps | 10.6 |
| Inspection Mirror. | 10.6 |
| Pick-up Tool. | 10.6 |
| Pick-up Tool, Ferrous Metal ... | 10.6 |



Orange Sticks , Oil Clean-up Rope, Splines, Astragal

Orange Sticks

Non-conductive, 10 per pack
Part Number **MOS**

Pit Pads

For oil clean-up. Absorb oil, not water. Clean easier and more efficiently than granular type cleaners. Absorb 25 times their own weight. Box of 100, 12oz, 17" x 3/8" polypropylene pads.
Part Number **L90902**

Oil-Dri® Quick-Sorb®

Super-absorbent granules for fast oil clean-up.

| Part Number | Description |
|------------------|-------------|
| I05000G60 | 20lb. Pail |
| I08030G78 | 10lb. Bag |
| I08060G84 | 25lb. Bag |

Polypropylene General Purpose Rope

Ranging in diameter and length anywhere from 5/8" x 600ft. to 3/4" x 1200ft. this highly visible bright yellow with green runner is excellent for roping off areas on construction sites. It's weather, rot and mildew resistant, so it is perfect for those unpredictable changes. All ropes are reel mounted.

| Part Number | Diameter x Length | Capacity |
|--------------|-------------------|----------|
| 31853 | 5/8" x 600ft. | 5580lb. |
| 31854 | 5/8" x 1200ft. | 5580lb. |
| 31855 | 3/4" x 300ft. | 7650lb. |
| 31856 | 3/4" x 600ft. | 7650lb. |
| 31857 | 3/4" x 1200ft. | 7650lb. |

Aluminum Wall Panel Splines

For mounting reversible and/or replaceable wall panels on car interior walls. Splines include a black plastic laminate insert strip.

| Part Number | Description |
|-------------|---------------|
| ASC | Chrome Finish |
| ASB | Bronze Finish |

Door Astragal and Holder

Compatible with part number A132 (astragal rubber). Door Astragal is included. 7' lengths.

| Part Number | Description |
|-----------------|-------------------------------------|
| DAA | Aluminum |
| DAAB | Anodized Bronze |
| A132-DAA | Replacement astragal for DAA holder |

Other sizes available.

Questions? Answers at...

Western US: 866 CED-ELEV Eastern US: 866-253-2915
 or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970

Door Spirators Door Gibs

Eliminate elevator door reel replacement problems with our spring-powered spirator. Pre-winding the reel upon installation allows universal replacement. Spring is made of high-carbon steel, the cable of 7x7 nylon coated galvanized steel with a crimped loop as opposed to eyelet. Each case is steel and the arbors Delrin. Replaces Dover, Haughton, Montgomery, G.A.L., Otis, U.S. Westinghouse and Armor Spirators.

| Part Number | Arbor (Mounting) | Distribution Thru Hub | Cable Length (in.) | Load Curve Total Turns |
|-----------------|-------------------------|-----------------------|--------------------|------------------------|
| ML-4402 | 5/16" Clear Square Hole | 1 | 120 | 13 |
| ML-4402W | 2 Hole (Westinghouse) | 1 | 120 | 13 |
| ML-1880 | .325 Square Hole | | 144 | |

Part Number **ML-1880:**


Specifically for heavy-duty requirements. Grey 6"-diameter steel reel with retracting cable pull 2.6 +2 lbs. one turn from solid, 144" cable, 1/16" diameter coated with nylon to .093 diameter.



Door Spirator Mounting Bracket

Part Number **MLB:**

Square stud mounting bracket for use with ML-4402. Specifications subject to change without notice.



Door Gibs

Part Number **DGC:**



- Includes mounting bracket
- 1/2" nylon gib with multiple mounting positions
- 4 1/2" long, 1" up-leg, 7/8" down-leg

Part Number **DGCN:** (Same as above with up-thrust retainer)

| Part Number | Chassis | | Description |
|------------------|---------|-------------|------------------------------|
| | Width | Adjustments | |
| G1532-118 | 1 1/8" | 10 | 1 5/32" wide white nylon gib |
| G1532-114 | 1 1/4" | 12 | 1 5/32" wide white nylon gib |
| G1732-118 | 1 1/8" | 10 | 1 7/32" wide green nylon gib |
| G1732-114 | 1 1/4" | 12 | 1 7/32" wide green nylon gib |
| G12-118 | 1 1/8" | 10 | 1/2" wide blue nylon gib |
| G12-114 | 1 1/4" | 12 | 1/2" wide blue nylon gib |
| G716-118 | 1 1/8" | 10 | 7/16" wide black nylon gib |
| G716-114 | 1 1/4" | 12 | 7/16" wide black nylon gib |

Part Number **EP-GBBR:**

Roller bearing door gib for extended door operation life. Eliminates door side play. Specify chassis width when ordering: 7/8", 1", 1 1/8", or 1 1/4"





Questions? Answers at...

Western US: 866 CED-ELEV Eastern US: 866-253-2915
or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970

Custom Ladder Worksheet


Information Needed:

- A. Distance from wall to face of ladder: _____
- B. Distance from landing to top of ladder: _____
- C. Overall ladder length required: _____
- D. Quantity of wall mounting brackets: _____
- E. Quantity of rungs: _____



3/8" x 2" Flat Bar (Sides)

H.R. Angle 2" x 2" x 3/16" x 2" LG.
Floor Mounting Brackets
(2 Required)



Questions? Answers at...

Western US: 866 CED-ELEV Eastern US: 866-253-2915
or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970

Pit Ladders & Stepladders

Pit Ladders

Part Number **PL8:**

- Sides $\frac{3}{8}$ " x 2" flat bar, total length 7' 6"
- $\frac{5}{8}$ " rungs
- Top brackets bolted for flexibility in field

Part Number **PL8C:**

- Collapsible Pit Ladder, 7' 6" long
- Folds in half for UPS shipping
- Center brackets at point of pivot provides rigidity when installed

Custom Pit Ladders

Custom ladders are available for quick shipment. To order, please see the Custom Ladder Worksheet on the previous page.






Stepladders

These top-of-the-line heavyweight stepladders are made for heavy work in wood, fiberglass or aluminum. The protective rail shields and stronger side rails reduce the risk of cracking, so they're safer to use. A center pull spreader not only adds additional support, but makes setting-up and taking down much easier. The top caps are extra tough so they can withstand impacts and severe temperature changes without cracking.




Questions? Answers at...

Western US: 866 CED-ELEV Eastern US: 866-253-2915
or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970



IMPT



CPUT



PUT

Material Hooks, Pull Straps Inspection Mirrors, Pickup Tools

Material Hooks

Put a handle on your guide rails with less pain, less strain. Hooks are either parallel or at right angle to the handle, 12" or 36" long overall.

Part Numbers **11-403** and **11-404**

Heavy Duty Door Pull Straps

Our 12,000lb. test heavy-duty door pull straps are made of durable black nylon. A mounting bracket is sewn into one end for attachment.

| Part Number | Length | Part Number | Length |
|--------------|--------|--------------|--------|
| HDP18 | 18" | HDP24 | 24" |
| HDP30 | 30" | HDP36 | 36" |
| HDP48 | 48" | | |

Fender Washer

We recommend pull straps be clamped under this $\frac{3}{8}$ " fender washer.

Part Number **FW38**

Inspection Mirror

For fast, accurate inspection of hidden areas. Double ball joint allows 1 $\frac{1}{4}$ " round mirror to swivel to any angle. Has a magnet for retrieving nuts and bolts, and pocket clip to fit easily in pocket. 7 $\frac{1}{2}$ " length telescopes to 19 $\frac{3}{8}$."

Part Number **IMPT**

Pick-up Tool

Retrieves most small items of any material up to 2lbs. 23 $\frac{1}{2}$ " flexible shaft bends and snakes into hard to reach areas. Spring steel claws open wide. Sturdy tempered spring steel shaft. Press plunger to open jaws

Part Number **CPUT**

Pick-up Tool, Ferrous Metal

Retrieves ferrous metal parts, to up to 18oz. Telescopes to 26 $\frac{3}{4}$."

Part Number **PUT**

Questions? Answers at...

Western US: 866 CED-ELEV Eastern US: 866-253-2915
 or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970