

HYDRAULIC INSTALLATION TOOLS

12



Questions? Answers at...

Western US: 1-866 CED-ELEV
or 1-866-233-3538 • Fax 1-562-427-8429


Eastern US: 1-866-253-2915
or 1-860-256-2211 • Fax 1-860-290-8970

or visit us online at
www.cedelevator.com
for 24 hour order entry,
cross reference data base,
product specifications
with pictures and much more!

Full line catalog available on request

In this Section

Portable Filtration System	12.2
Portable Filter Cart	12.2
Temporary Hydro Machine.	12.2
Halo Light Kit.	12.3
Adjustable Plumb Bob	12.3
Pipe Joint Compound.	12.3
Hydro Spider	12.3



Filtration Systems Hydro Machine

Portable Filtration System

This lightweight, powerful, filtration pump works great for filtering and transferring hydraulic fluid. Weighs only 24 lbs. but can be used with a wide range of fluid viscosities at flows up to 4 GPM. Built of rugged cast aluminum, powered by a ¼ hp, 110 VAC motor, and designed with an internal relief valve, this pump allows only filtered fluid downstream. Filters are available to remove dirt, metal particles and even water.

Part Number

10-420

10-429 plastic carrying case

Portable Filter Cart

This completely self-contained dual filter system is ideal for transferring oil from drum to tank and cleansing the oil in existing systems. The two-stage system is ready to use on 110 volt service. Filter elements for all types of filtering requirements are in stock, including those needed for water removal.

Part Number **10-400**

Temporary Hydro Machine

Are you required to provide a "running platform" with your hydro and you only have temporary power on a limited basis? Plug this unit into a 230 volt, single phase, 60 Hertz, 20 amp circuit. With a little plumbing to your jack assembly and oil reservoir you are ready to go. Rated at up to 20 GPM at 400 psi Other size units are available. Available with 75ft. pendant. Call for more information.

Part Number Capacity

10-303

3 hp

Questions? Answers at...

Western US: 866 CED-ELEV Eastern US: 866-253-2915
 or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970

Halo Light Kit Plumb Bob, Joint Compound

Halo Light Kit

Mechanically centered by the spider assembly, a light with centering disk is lowered the full length of the casing. The "halo" of light appearing around the outer diameter of the centering disk indicates when plumb is achieved. Standard unit accommodates casings up to 12" in diameter. Unit can be adapted to accommodate larger casings by special order. Kit includes: Spider assembly with 75' of line, 10 aluminum disks, battery powered light and carrying case.

Part Number **10-510**



Adjustable Plumb Bob

This solid brass plumb bob with replaceable steel tip, has a spring-loaded, knurled cord spool for easy adjustment of the line length. 20 ft. non-twisting cord is included with plumb bob. A belt sheath is available, along with replacement parts.

Part Number	Description
10-600	Plumb Bob
10-601	Belt Sheath
10-602	Tip, replacement
10-603	Cap, replacement



Pipe Joint Compound

This pipe joint compound expands while it sets, tightly sealing the joint. Comes in powder and contains no lead or asbestos, nor does it emit gases when applied or heated. Can be used on most types of pipe. Do not use on unanodized aluminum. Part Number **MH15735** (1lb. can)



Hydro Spider

The adjustable spider with four spring loaded legs adjusts easily from 3 7/8 to 14 inches in diameter. Great for aligning hydraulic pistons & cylinders because of its wide range of diameter settings. Part Number **10-500**

Questions? Answers at...

Western US: 866 CED-ELEV Eastern US: 866-253-2915
or 866-233-3538 • Fax 562-427-8429 or 860-256-2211 • Fax 860-290-8970

